♠ AO 120 (Rev. 3/04)

TO:

1

2

3

4

5

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK

In Compliance with 35 U.S.C. § 290 and/or 15 U.S.C. § 1116 you are hereby advised that a court action has been filed in the U.S. District Court _ **EDPA** X Patents or ☐ Trademarks: on the following DOCKET NO. DATE FILED U.S. DISTRICT COURT 10-3447 7/13/10 EDPA Clerk's Office Room 2609, 601 Market St, Philadelphia, PA 19106 PLAINTIFF DEFENDANT Tyco Fire Products LP The Reliable Automatic Sprinkler Co., Inc. 451 North Cannon Ave 103 Fairview PArk Drive Elmsford, NY 10523 Lansdale, PA 19446 PATENT OR DATE OF PATENT HOLDER OF PATENT OR TRADEMARK TRADEMARK NO. OR TRADEMARK 6.059.044 Tyco 7,165,624 Tyco ' 7,516,800 Тусо 7,584,802 Tyco 7,730,959 Tyco (See Complaint for more Patent Numbers) In the above antitled case the following patent(s)/ trademark(s) have been included.

in the above—citizen case, the following patent(s), trademark(s) have been included.						
DATE INCLUDED	INCLUDED BY					
	A	mendment	☐ Answer	☐ Cross Bill	Other Pleading	
PATENT OR	DATE OF PATENT		HOLDER OF PATENT OR TRADEMARK			
TRADEMARK NO.	OR TRADEMARK		TO SEE OF TITLE OF THE ENGINEER			
1						
2						
3						
4						
5						
In the above—entitled case, the following decision has been rendered or judgement issued:						
DECISION/JUDGEMENT						
CLERK		DAY DEDICAN	CLEDIA		In a series	
CLERK](1	BY) DEPUTY	CLEKK		DATE	
	i					